

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Marlboro Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	15	(26)	11 (85)	0	(.)	0 (.)	15	(26)
Other OI w/o PCP	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
No Disease Listed	28	(48)	11 (41)	0	(.)	0 (.)	28	(48)
Total	58	(100)	35 (64)	0	(.)	0 (.)	58	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	24	41	0	.	24	41
5-12	0	0	Black, Not Hispanic	29	50	0	.	29	50
13-19	0	0	Hispanic	5	9	0	.	5	9
20-29	11	19	Other/Unknown	0	0	0	.	0	0
30-39	27	47	-----	-----	---	-----	---	-----	---
40-49	14	24	Total	58	100	0	.	58	100
Over 49	6	10							
Unknown	0	0							
Total	58	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	6	15	0	0	6	10
Injection drug user (IDU)	22	55	11	61	33	57
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	10	17
Risk not reported/other***	#	#	#	#	#	#
Total	40	100	18	100	58	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Marlboro Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	#
1987	#	#	#
1988	#	#	#
1989	#	#	#
1990	#	#	#
1991	#	#	#
1992	#	#	#
1993	7	6	86%
1994	5	#	#
1995	10	#	#
1996	#	#	#
1997	7	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
-----	-----	-----	-----
Total	58	35	60%